

## Research

### Continuity of Midwifery Care

Association of Radical Midwives (2013) *New Vision for Maternity Care*. ARM. <http://www.midwifery.org.uk/wp-content/uploads/2013/11/New-Vision-November-2013.pdf>

Beake S, Acosta L, Cooke P, McCourt C (2013) Caseload midwifery in a multi-ethnic community: the woman's experiences. *Midwifery* 29(8):996-1002. <http://www.ncbi.nlm.nih.gov/pubmed/23415359>

Bellanger M and Or Z (2008) What Can We Learn From a Cross-Country Comparison of the Costs of Child Delivery? *Health Economics*, 17:S47-S57. Cited in OECD (2013) *Health at a Glance 2013: OECD Indicators*, OECD Publishing. DOI:10.1787/health\_glance-2013-en <http://www.ncbi.nlm.nih.gov/pubmed/18186035>

Collins CT, Fereday J, Pincombe J, Oster C, Turnbull D, (2010) An evaluation of midwives' working in midwifery group practice. *Midwifery* 26:435-441. DOI: <http://dx.doi.org/10.1016/j.midw.2008.09.004>

Devane D, Brennan M, Begley C, Clarke M, Walsh D, Sandall J, Ryan P, Revill P, Normand C (2010) *Socioeconomic Value of the Midwife: A systematic review, meta-analysis, meta-synthesis and economic analysis of midwife-led models of care*. London: RCM. <http://www.kcl.ac.uk/lsm/research/divisions/wh/newsevents/newsarchive/2011/news/SocioEconomicMidwiferyReport.pdf>

Fereday J, Oster C (2010) Managing a work-life balance: The experiences of midwives working in a group practice setting. *Midwifery* 26:311-318 DOI: <http://dx.doi.org/10.1016/j.midw.2008.06.004>

Forster DA, McLachlan HA, Davey MA, Biro MA, Farrell T, Gold L, Flood M, Shafiei T and Waldenström U (2016) Continuity of care by a primary midwife (caseload midwifery) increases women's satisfaction with antenatal, intrapartum and postpartum care: results from the COSMOS randomised controlled trial. *BMC Pregnancy and Childbirth* 16:28. DOI:10.1186/s12884-016-0798-y <http://www.ncbi.nlm.nih.gov/pmc/articles/PMC4739100/>

Hodnett ED, Gates S, Hofmeyr GJ, Sakala C (2013) Continuous support for women during childbirth. *Cochrane Database of Systematic Reviews*, Issue 17. Art. No.: CD003766. DOI: 10.1002/14651858.CD003766.pub5.  
[http://www.cochrane.org/CD003766/PREG\\_continuous-support-for-women-during-childbirth](http://www.cochrane.org/CD003766/PREG_continuous-support-for-women-during-childbirth)

Homer C, Friberg I, Dias M, ten Hoop-Bender P, Sandall J, Speciale A, Bartlett L (2014) The projected effect of scaling up midwifery, *The Lancet* 384(9948):1146-1157.  
DOI: [http://dx.doi.org/10.1016/S0140-6736\(14\)60790-X](http://dx.doi.org/10.1016/S0140-6736(14)60790-X)

Huber U, Sandall J (2009) A qualitative exploration of the creation of calm in a continuity of carer model of maternity care in London. *Midwifery* 25:613-621.  
DOI: <http://dx.doi.org/10.1016/j.midw.2007.10.011>

Jones H (2013) Caseload scheme for vulnerable women: St Mary's Hospital in Birthrights, *Dignity in Childbirth: Projects and Perspectives*. London: Birthrights.  
<http://www.birthrights.org.uk/wordpress/wp-content/uploads/2013/10/Birthrights-Projects-and-Perspectives.pdf>

Leap N, Sandall J, Buckland S, Huber U (2010) Journey to confidence: Women's experiences of pain in labour and relational continuity of care. *Journal of Midwifery and Women's Health* 55(3):234-242.  
[doi:10.1016/j.jmwh.2010.02.001](http://dx.doi.org/10.1016/j.jmwh.2010.02.001)

McCourt C, Page, L, Hewison J, Vail A (1998) Evaluation of One-to-One Midwifery: Women's Responses to Care *Birth* 25 (2):73-80.  
<http://www.ncbi.nlm.nih.gov/pubmed/9668740>

McLachlan HL, Forster DA, Davey MA, Farrel T, Flood M, Shafiei T, Waldenström U (2015) The effect of primary midwife-led care on women's experience of childbirth: results from the COSMOS randomised controlled trial. *BJOG: An International Journal of Obstetrics and Gynaecology* 123(3):465-474. DOI: 10.1111/1471-0528.13713.  
<http://www.ncbi.nlm.nih.gov/pubmed/26498455>

McLachlan HL, Forster DA, Davey MA, Farrell T, Gold L, Biro MA, Albers L, Oats J, Waldenström U (2012) Effects of continuity of care by a primary midwife (caseload midwifery) on caesarean section rates in women of low obstetric risk: the COSMOS randomised controlled trial. *BJOG: An International Journal of Obstetrics and Gynaecology* 119(12): 1483-1492. DOI: 10.1111/j.1471-0528.2012.03446.x.

<http://www.ncbi.nlm.nih.gov/pubmed/22830446>

Renfrew M, McFadden A, Bastos M, Campbell J, Channon A, Fen Cheung N, Silva D, Downe D, Powell Kennedy H, Malata A, McCormick F, Wick L, Declercq E(2014) Midwifery and quality care: findings from a new evidence informed framework for maternal and newborn care. *The Lancet*. 384(9948):1129-1145. DOI: [http://dx.doi.org/10.1016/S0140-6736\(14\)60789-3](http://dx.doi.org/10.1016/S0140-6736(14)60789-3)

Sandall J, Soltani H, Gates, S, Shennan A, Devane D (2015) Midwifery-led continuity models versus other models of care for childbearing women. *Cochrane Database of Systematic Reviews*, Issue 9. Art. No.: CD004667. DOI:10.1002/14651858.CD004667.pub4.

[http://www.cochrane.org/CD004667/PREG\\_midwife-led-continuity-models-versus-other-models-care-childbearing-women](http://www.cochrane.org/CD004667/PREG_midwife-led-continuity-models-versus-other-models-care-childbearing-women)

Sandall J (2014) *The contribution of continuity of midwifery care to high quality maternity care*. Royal College of Midwives.

[https://www.rcm.org.uk/sites/default/files/Continuity of Care A5 Web.pdf](https://www.rcm.org.uk/sites/default/files/Continuity%20of%20Care%20A5%20Web.pdf)

Sandall J, Davies J, Warwick, C. (2001). *Evaluation of the Albany midwifery practice: final report*. Kings College Hospital NHS Trust: London. Available online at <http://openaccess.city.ac.uk/599/>

Sandall J. (1998) Occupational burnout in midwives: new ways of working and the relationship between organisational factors and psychological health and well being. *Risk, Decision and Policy* 3(3):213-32.

<http://www.ncbi.nlm.nih.gov/pubmed/23415363>

Sandall J. (1997) Midwives' burnout and continuity of care. *British Journal of Midwifery*. 5:106-11.

[https://www.researchgate.net/publication/229087358\\_Midwives'\\_burnout\\_and\\_continuity\\_of\\_care](https://www.researchgate.net/publication/229087358_Midwives'_burnout_and_continuity_of_care)

Ten Hoop-Bender P, de Bernis L, Campbell J, Downe S, Fauveau V, Fogstad H, Homer C, Kennedy H, Matthews Z, McFadden A, Renfrew M, van Lerberghe W (2014) Improvement of maternal and newborn health through midwifery. *The Lancet*. 384(9949):1159-1236.

DOI: [http://dx.doi.org/10.1016/S0140-6736\(14\)60930-2](http://dx.doi.org/10.1016/S0140-6736(14)60930-2)

Tracy SK, Hartz MB, Allen J, Forti A, Hall B, White J, Lainchbury A, Stapleton H, Beckmann M, Bisits A, Homer C, Foureur M, Welsh A, Kildea S (2013) Caseload midwifery care versus standard maternity care for women of any risk: M@NGO, a randomised controlled trial. *The Lancet* 382(9906):1723-1732.

<http://www.thelancet.com/journals/lancet/article/PIIS0140-6736%2813%2961406-3/abstract>

Van Lerberghe W, Matthews Z, Achadi E, Ancona C, Campbell J, Channon A, de Bernis L, de Brouwere V, Fauveau V, Fogstad H, Koblinsky M, Liljestrand J, Mechbal A, Murray SF, Rathavay T, Rehr H, Richard F, ten Hoop-Bender P, Turkmani S (2014) Country experience with strengthening of health systems and deployment of midwives in countries with high maternal mortality. *The Lancet*. 384(9949):1215-1225. [http://dx.doi.org/10.1016/S0140-6736\(14\)60919-3](http://dx.doi.org/10.1016/S0140-6736(14)60919-3)

Walsh D, Devane D (2012) A Metasynthesis of Midwife-Led Care. *Qualitative Health Research* 22:897-910.

<http://www.ncbi.nlm.nih.gov/pubmed/22427456>

Walsh D (1999) An ethnographic study of women's experience of partnership caseload midwifery practice: the professional as friend. *Midwifery* 15(3):165-176.

<http://www.ncbi.nlm.nih.gov/pubmed/10776241>

Wong N, Browne J, Ferguson S, Taylor J and Davis D (2015) Getting the first birth right: A retrospective study of outcomes for low-risk primiparous women receiving standard care versus midwifery model of care in the same tertiary hospital. *Women and Birth* 28(4):279-284.

<http://www.womenandbirth.org/article/S1871-5192%2815%2900074-8/fulltext>

Yoshida Y, Sandall J (2013) Occupational burnout and work factors in community and hospital midwives: A survey analysis. *Midwifery* 29(8):921-926.

<http://www.ncbi.nlm.nih.gov/pubmed/23415363>